

# Participation as co-production — inevitable community involvement in Distributed Generation in Micro-Grids

---


Maarten Wolsink

Energy Landscapes

Perception, Planning, Participation and Power

16-18 September 2015

Dresden



[https://scholar.google.nl/maarten\\_wolsink](https://scholar.google.nl/maarten_wolsink)

University of Amsterdam

*Department of Geography, Planning & International Development Studies*

# Some state-of-the-art fundamentals inconsistent with common sense

---

- Social Acceptance  $\neq$  Public Acceptance
- Acceptance energy source  $\neq$  Acceptance projects
- Barriers to deployment **NOT** primarily local opposition  
(community acceptance)
- Social Acceptance is about institutions  
→ accepting institutional changes
- Innovation: new patterns of thinking and behaviour  
(=institutions) organizing and regulating energy

# Fundamental question

summarizing 30 years of social acceptance RES research

---

- How do we change *energy systems*, *energy conversion*, as well as *energy consumption*, into a power supply system applying renewable *sources* and clean *energy carriers*?
  - Answer: it requires *institutional change*, an entirely different system, not simply the same system in which current generation is replaced by other forms of energy conversion [Wolsink 1990](#)
  - Escape from the *institutional lock-in*  
**'carbon lock-in'**  
[Unruh, 2000](#)
-

# Institutions

---

- Definition:  
... behavioural patterns as determined by societal rules; "the rules of the game in society"  
North D, 1991. *Instit, Inst Change and Econ Perform*. Cambridge University Press.
- Contrary to common-sense 'knowledge'  
(including beliefs among many policy makers)

**PV/Wind/RE<sub>whatever</sub> innovation:**

institutional constraints mainly at the level of  
**socio-political acceptance**

---

# Innovation theory

---

- Institutional “lock-in” [Unruh, 2000; Lehmann et al 2012](#)
  - Institutions function in a pattern of social self-organization
  - Existing configuration energy sector and in **land use** emerged in history to serve certain objectives (“path dependency”)
  - → **does not serve new objectives**, hence it creates barriers/inertia
-

# Sources of institutional lock-in

Unruh, 2002. Escaping carbon lock-in. *Energy Pol* 30, 317–325

---

- Technological: Dominant design, standard technological architectures and components, compatibility
  - Organizational Routines: training, departmentalization, customer-supplier relations
  - Industrial Industry standards: technological inter-relatedness, co-specialized assets
  - Societal System: socialization, adaptation of preferences and expectations
  - **Institutional Government: policy intervention, legal frameworks, departments/ministries**
-

# Institutional lock-in: existing patterns of thinking and behaviour

---

“Alternatives representing radical technological change **have to come from outside organisations** representing the existing technologies, whereas the **existing incumbents even make efforts to eliminate alternatives** from decision-making processes.”


Lund (2010) *Energy* 35: 4003-4009.

Comparison of 12 decision-making processes in RES projects in 1<sup>st</sup> country successful in RES implementation

---

# Social acceptance in energy innovation primarily issue with an institutional character

adapted from Wüstenhagen et al 2007, p.2386





# Social Acceptance in innovation examples (among many others) *Wolsink 2012 Encyclopedia*


---

*Elements such as (among many others)*

- sustainable community agenda
- involvement (ownership) infrastructure
- communities' land use + landscape

*Elements such as (among many others)*

- fully restructured power supply system (STS)
- **intititutional change in planning systems (redefining decision making on land use)** opening acceptable options for RES and DG/microgrid infrastructure



# Acceptance of 'Intelligent' grid

(buzzword: 'smart grid')

---

- Definition:  
"Power grid consisting of a *network of integrated micro-grids* that can monitor and heal itself" Marris E (2008) Upgrading the grid. Nature 454: 570-573

examples of recognized relevance in policy:

- "Experts predict that the U.S. energy system will include more than 150 million interacting elements...need ever more sophisticated and powerful computer models to track the flow of energy, and better batteries to support computing and store energy"

[US Department of Energy: Quadrennial Technology Review, Sept. 2015](#)


# More examples of recognized relevance in policy: EU 'vision' on the 'smart' grid



# EU vision still 'locked-in' in centralized thinking


whereas DG is by definition not centralized

---



# Example SmartGrid V2G Regulation.

## Centralized vision → low acceptance



# Renewable Energy (prime reason for establishing intelligent grids): *"Distributed Generation"*

---

- Micro/decentralized generation
- Smaller scale (than current units)
- Spatially very dispersed
- **Spatial claims renewables: "huge"**  
*MacKay 2008*
- Integrate variable sources and demand
- Power grid applied as 'storage' capacity

*Charles 2009 Science 324: 172-175 "Renewables test IQ of the grid"*

---



# Distributed Generation

Ackermann, Andersson, Söder 2001; with several additions

---

❖	Combined cycle gas T.	35–400 MW
❖	Internal combustion engines	5 kW–10 MW
❖	Combustion turbine	1–250 MW
❖	Micro-Turbines	35 kW–1 MW
❖	<i>Renewable (favourable, but ≠ 'sustainable')</i>	
❖	Biomass, e.g. gasification	100 kW–20 MW
❖	Small hydro	1–100 MW
❖	Micro hydro	25 kW–1 MW
❖	Wind turbine	200 Watt–3 MW
❖	Photovoltaic arrays	20 Watt–100 kW
❖	Solar thermal, central receiver	1–10 MW
❖	Solar thermal, Lutz system	10–80 MW
❖	Fuel cells, phosphoric acid	200 kW–2 MW
❖	Fuel cells, molten carbonate	250 kW–2 MW
❖	Fuel cells, proton exchange	1 kW–250 kW
❖	Fuel cells, solid oxide	250 kW–5 MW
❖	Geothermal	5–100 MW
❖	Stirling engine (micro CHP)	2–10 kW

---

# DG, continued

---

- ❖ Ocean energy
    - Waves, Tidal 100 kW–1 MW
    - Saline/Fresh (osmotic) pressure 100 kW-50 MW
  - ❖ *Distributed Storage and Transmission (of Renewable generated energy )*
  - ❖ Heat storage (electric boilers) 1-10 kW
  - ❖ Heat storage in buildings (solar, electr. heat pumps) 10-500 kW
  - ❖ 'Cold' storage (cooling systems) 1-100 kW
  - ❖ Battery storage 500 kW–5 MW
  - ❖ Electric vehicles (batteries) 10-100 kW
  - ❖ V2G (Vehicle-to-grid; uploading) 10-100 kW
  - ❖ MicroGrid (balancing supply-demand within) 1kW-100MW
  - ❖ SuperConducting Transmission lines 100-1000 kV
  - ❖ *Storage in 'non-heat' consumption (of Renewable generated energy )*
  - ❖ Water Supply systems 10kW-1000 kW
  - ❖ Desalinization reservoirs 10kW-500 kW
  - ❖ Storage in CO<sub>2</sub> based fuels 10kW-1MW (??)
- 
- ❖ And many more emerging.....



Solar power plants: mirrors reflecting on towers

Wind-centralized power plants – e.g. off-shore

*Drawbacks:* far away from consumption; expensive, problematic transmission, energy losses

---



# Why are we trying to transform energy system?

Centralized, large scale; high infrastructure cost; continued dependance non-domestic sources. large scape generation deserts ('Desertec' initiative) example DESERTEC





More Centralized ideas for RES in current existing power supply: Les Mées, Durance valley (F)

---







DG

---

more integrated in  
community

Prosumer's  
communities  
(Germany)

---






New inventions for the Future  
Saline/fresh water encounters. Artist impression  
Afsluitdijk (NL) separating Sea/Lake

*Drawback:* fresh water scarcity; fresh/salt encounters mainly estuaries, large biodiversity; similar drawback for tidal power



# Large Hadron Collider


F, CH close to Geneva



# Application SuperConducting HV transmission

Cooling: He, possibly  $N_2$  ( $MgB_2$  at 39K); bi-polar coax DC-HV → no magnetic field; experimental application in transmission lines, underground, narrow tracks, no magnetic fields

possibly replacing current HV Transmission Lines Thomas et al, RSER in press





Example 'Landscape integration' by central direction;  
solar on roof of tunnel, without  
community integration  
Leiderdorp, NL, local opposition

---





Or DG, which implies 'landscape integration',  
including community integration

Bellwald, Upper Rhône valley, CH

Michel et al 2015



# Definition

---

## ❖ Distributed Generation

*is an electric power source*

- *connected directly to the **distribution network***
- *or **on the customer side** of the meter.*

Ackermann et al 2001


---

# 'Smart grid': "...rescaling and distributed generation" ... "integrated micro-grids that can monitor and heal itself"


Marris 2008, *Nature* 454, 570

## SMART GRID


A vision for the future — a network of integrated microgrids that can monitor and heal itself.



# Again: why? 4 kinds of 'merit' (not guaranteed, depending upon institutional frame !!) related to 6 smart microgrid elements




# Again: why? 4 kinds of 'merit' (not guaranteed, depending upon institutional frame !!) related to 6 smart microgrid elements



# Feasibility RES requires integration in

- Of Different patterns of variable supply
- Optimization supply and demand: needs (micro-)optimization
- Development of community micro-grids,
  - co-operation of co-producers ('prosumers')
  - load-control (supporting *DG*, *not central* capacity)
  - storage within community (e.g. electric vehicles)
  - Intelligent regulation/metering within community
  - supporting '*micro-grid*'
  - instead of central power plants



# “Planning”? Why stakeholder involvement needed?

---


- “targets only achievable ...broad stakeholder involvement and a social movement ...towards energy transformation ... in order to overcome transformation barriers” [Oßenbrügge, this conference](#)

OR

- Abolish central control to break down barriers ... to promote co-production and participation to achieve acceptable land use planning for energy infrastructure
-

# Micro Grid (example of only houses) internal integration of generation and demand (**minimizing exchange with public grid**)


---





Micro Grid: Co-operating prosumers form a **community** harvesting, applying and **governing a natural resource**

---



All units (generation, transmission, regulation, consumption) connected in 1 STS

---

## Energy system is collection of STS's

---

- **Socio-Technical Systems** (STS)  
because of DG: huge geographical variety  
all STSs consist of 5 subsystems
    - - resource system: conversion technology;  
transmission & regulation infrastructure
    - - natural system: climate, **ecology, landscape**
    - - governance system (≠ government): investment,  
management, **property, land use**
    - - users, consumers involved in production
    - - consumption patterns, adaptation to variable  
resources, **storage**
-

# CPR approach to RES: definition

(Lin Ostrom, 1999; 1990) and application

- **Common Pool Resources** are
  - natural or man-made resources
  - where one actors's use of the commons
  - subtracts from its use by others
  - but there is difficulty in excluding access

Dietz et al. *Science*, 2002; Ostrom, 1990, 2000



- Energy Application to Socio-Ecological Systems SES

Hodbod, Adger *EnResSocSci* 2015

- Application to Socio-Technical Systems, STS  
including landscape

Wolsink *RenSustEnRev* 2012

# Subtractability; Excludability

---

- 1) Exploitation by one results in less availability for others (*subtractability*) → Resource NOT scarce, scarcity is **space required for generation and distribution** (McKay 2008) (landscape, resource rights)
  - 2) Difficulties to exclude potential users (*excludability*). Source is free, current barriers only man made (= institutional)
-

Ostrom, 1999. *Coping with tragedies of the commons*. Annual Review Political Science 2, p493

---

"Contemporary policy analysis of the governance of **common-pool resources** is based on three core assumptions:

(a) resource users are **norm-free maximizers of immediate gains**, .....

(b) designing rules to **change incentives** of participants is a relatively simple analytical task

(c) organization itself requires **central direction**"


**"..... all three assumptions are a poor foundation for policy analysis."**

---

land use issues related to DG

*example:* in CPR management: **resource rights, to be settled within community**

---



Changed meaning of 'space' and property of land.

- Integrating land use with generating power
- ~~fully depending on local ecology, culture, and social-~~  
technical system (Schlager & Ostrom, 1992).


→ **Self/Polycentric governance** for all **land use issues** related to DG [Dietz et al 2003](#); [Ostrom 1999](#), [Ostrom et al 2007](#)  
*example: landscape values & perceptions*

---

- Required infrastructure units, huge numbers, affecting more people, more landscapes ([Nadai & van der Horst, 2010](#); [Wolsink, 2012](#))
- Infrastructure developments may threaten citizens' subjective connections to the landscape ([Bell et al 2013](#); [Devine-Wright, 2009](#); [Wolsink, 2007](#)).
- Landscape implications of community outsider's energy infra results in opposition continuing to arise ([Pasqualetti, 2011](#); [Walker, et al, 2014](#))
- Energy landscapes represent innovation, sustainability and environmental health; good fit to local values of landscape fosters cultural acceptability ([McLachlan, 2010](#))
- Acceptance of RES requires fit to local identity (sense of place, place attachment [Devine-Wright](#); [Stedman](#))

# Lock-in also (among others) in Planning System and in centralized, hierarchical energy planning

Arnstein (1969) Ladder of citizen participation



→ inclination towards tokenism and 'therapy'

Current trend: enhanced reliance on tokenism

Steps *down* the ladder:

- commodification RES projects (e.g. tenders)

neoliberal agenda

- 'streamlining' planning

hierarchical agenda

Cowell Owens 2006



# conclusions

---

- RES: higher social (community) acceptance → DG
  - Central as *backup only* (resistant incumbents)
  - Huge *variety* among, and within Socio-Technical Systems (STS)
  - Microgrid and DG relate to co-operation: *community*
  - Like SES → *variety and complexity*
  - *Hierarchy* creates complications (e.g. landscape values) and destroys *trust*
  - Co-operation requires *Self Governance* in systems,
  - *Polycentric* and *adaptive* governance:
  - Participation in co-production is inevitable precondition
-

# Thank you.

## References

---

- Ackermann et al. (2001) Distributed generation: a definition. *Electric Power Systems Research* 57, 195–204
- Arnstein SR (1969) 'A Ladder Of Citizen Participation', *Journal of the American Planning Association* 35 (4) 216—224
- Bell D, Gray T, Haggett C, Swaffield J (2013). Re-visiting the “social gap”: public opinion and relations of power in the local politics of wind energy. *Environmental Politics*, 22, 115–135.
- Cowell R, Owens S (2006) Governing space: planning reform and the politics of sustainability. *Environment and Planning C* 24: 403–421
- Dietz T, Ostrom E, Stern, P. C. (2003). The struggle to govern the commons. *Science*, 302, 1907-1912
- Devine-Wright, P. (2009). Rethinking NIMBYism: The role of place attachment and place identity in explaining place-protective action. *Journal of Community & Applied Social Psychology*, 19(6), 426-441.
- Geels, F. W. (2004). From sectoral systems of innovation to socio-technical systems: Insights about dynamics and change from sociology and institutional theory. *Research policy*, 33(6), 897-920
- Haidar AMH, Muttaq K, Sutanto D (2015) Smart Grid and its future perspectives in Australia. *Renewable and Sustainable Energy Reviews* 51(2015)1375–1389
- Hodobod J, Adger WN (2015) Integrating social-ecological dynamics and resilience into energy systems research. *Energy Research & Social Science* 1 (2014) 226–231.
- Lund H (2010) The implementation of renewable energy systems. Lessons learned from the Danish case. *Energy* 35, 4003-4009.
- Lehmann, P., Creutzig, F., Ehlers, M. H., Friedrichsen, N., Heuson, C., Hirth, L., & Pietzcker, R. (2012). Carbon lock-out: advancing renewable energy policy in Europe. *Energies*, 5(2), 323-354
- MacKay DJC (2008) *Sustainable Energy – without the hot air*. UIT Cambridge.
- McLachlan C.(2009). Technologies in place: symbolic interpretations of renewable energy. *Sociological Review*, 57, 181-199.
- Marris E (2008) Upgrading the grid. *Nature* 454: 570-573
- Mengolini, A., Vasiljevska, J. (2013). *The social dimensions of Smart Grids – Consumer, community, society*. JRC scientific and policy reports, European Commission.

- Michel AH, Buchecker M, Backhaus N (2015) Renewable Energy, Authenticity, and Tourism: Social Acceptance of Photovoltaic Installations in a Swiss Alpine Region. *Mountain Research and Development* 5(2): 161-170.
- Nadaï A, van der Horst D (2010) Introduction: Landscapes of Energies. *Landscape Research*, 35(2), 143–155.
- North D (1990) Institutions, institutional change and economic performance. Cambridge University Press.
- Ostrom E (1999) Coping with tragedies of the commons. *Annual Review Political Science* 2, 493
- Ostrom,E.(1990) Governing the commons: The evolution of institutions for collective action. Cambridge university press.
- Ostrom,E. Janssen,M A, Anderies,J.M.(2007). Going beyond panaceas. *Proceedings of the National Academy of Sciences*, 104(39), 15176-15178.
- Pasqualetti, M. J. (2011). Opposing Wind Energy Landscapes: A Search for Common Cause. *Annals of the Association of American Geographers*, 101(4), 907–917.
- Schlager E., Ostrom,E (1992) Property-rights regimes and natural resources: a conceptual analysis. *Land economics*, 249-262.
- Stedman, RC. (2002) Toward a social psychology of place predicting behavior from place-based cognitions, attitude, and identity. *Environment and behavior*, 34(5), 561-581.
- Thomas H., Marian, A Chervyakov A et al. (in press, 2016) Superconducting Transmission Lines - Sustainable electric energy transfer with higher public acceptance ? *Renew Sust Energy Reviews*.
- Unruh, G. C. (2000). Understanding carbon lock-in. *Energy policy*, 28(12), 817-830.
- Walker, B. J., Wiersma, B., Bailey, E. (2014). Community benefits, framing and the social acceptance of offshore wind farms: an experimental study in England. *Energy Research & Social Science*, 3, 46-54.
- Wolsink, M (1990). *Maatschappelijke acceptatie van windenergie: houdingen en oordelen van de bevolking*. Thesis publishers, Amsterdam.
- Wolsink, M. (2007). Planning of renewables schemes: Deliberative and fair decision-making on landscape issues instead of reproachful accusations of non-cooperation. *Energy policy*, 35(5), 2692-2704.
- Wolsink, M. (2012). Wind power: basic challenge concerning social acceptance. *Encyclopedia of sustainability science and technology.-Volume 17*, 12218-12254.
- Wolsink, M. (2012) The research agenda on social acceptance of distributed generation in smart grids: Renewable as common pool resources. *Renewable Sustainable Energy Reviews* 16, 822–835.
- Wüstenhagen R, Wolsink M, Bürer MJ (2007) Social acceptance of renewable energy innovation. *Energy Policy* 35, 2683-2889